JOURNAL OF CHROMATOGRAPHY A

VOL. 766, NOS. 1 + 2 4 APRIL 1997

CONTENTS

(Abstracts/Contents Lists published in Analytical Abstracts, Biochemical Abstracts, Biological Abstracts, Chemical Abstracts, Chemical Titles, Chromatography Abstracts, Current Awareness in Biological Sciences (CABS), Current Contents/Life Sciences, Current Contents/Physical, Chemical & Earth Sciences, Deep-Sea Research/Part B: Oceanographic Literature Review, Excerpta Medica, Index Medicus, Mass Spectrometry Bulletin, PASCAL-CNRS, Referativnyi Zhurnal, Research Alert and Science Citation Index)

REGULAR PAPERS

Column Liquid Chromatography

Protein retention in hydrophobic interaction chromatography: modeling variation with buffer ionic strength and column hydrophobicity
by T.W. Perkins, D.S. Mak, T.W. Root and E.N. Lightfoot (Madison, WI, USA) (Received 11 November 1996) 1

Effect of mobile phase composition on the binding kinetics of chiral solutes on a protein-based high-performance liquid chromatography column. Interactions of D- and L-tryptophan with immobilized human serum albumin
by J. Yang and D.S. Hage (Lincoln, NE, USA) (Received 18 November 1996) 15

Simultaneous amperometric and potentiometric detection of sugars, polyols and carboxylic acids in flow systems using copper wire electrodes
by Z.-L. Chen and D.B. Hibbert (Sydney, Australia) (Received 22 October 1996) 27

Determination of solute lipophilicity, as log *P*(octanol) and log *P*(alkane) using poly(styrene–divinylbenzene) and immobilised artificial membrane stationary phases in reversed-phase high-performance liquid chromatography
by M.H. Abraham and H.S. Chadha (London, UK), R.A.E. Leitao (Lisboa, Portugal), R.C. Mitchell (Welwyn, UK), W.J. Lambert (Groton, CT, USA) and R. Kaliszan, A. Nasal and P. Haber (Gdansk, Poland) (Received 1 November 1996) 35

Screening of a large number of dyes for the separation of human immunoglobulin G2 from the other immunoglobulin G subclasses. Immunoglobulin G2 enrichment on immobilized Procion Yellow HE-4R
by M. Hasnaoui, M. Debbia, S. Cochet, J.P. Cartron, P. Lambin and O. Bertrand (Paris, France) (Received 26 November 1996) 49

Continuous membrane extraction of phenols from crude oils followed by high-performance liquid chromatographic determination with electrochemical detection
by M^{a}.T. García Sánchez, J.L. Pérez Pavón and B. Moreno Cordero (Salamanca, Spain) (Received 18 November 1996) 61

Separation and quantitation of glycolipids as penetration modifiers in human skin using high-performance liquid chromatography–mass spectrometry with electrospray ionization
by R. Wolf, K. Raith and R. Neubert (Saale, Germany) (Received 21 November 1996) 71

Determination of residual amines used in bulk drug synthesis by pre-column derivatization with 3,5-dinitrobenzoyl chloride and high-performance liquid chromatography
by J. Morley, L. Elrod Jr., C. Linton, D. Shaffer and S. Krogh (Chicago, IL, USA) (Received 22 November 1996) 77

Gradient high-performance liquid chromatographic analysis of enkephalin peptides, their metabolites and enzyme inhibitors using combined ultraviolet and electrochemical detection. I. Optimization of separation and detection
by V.-P. Ranta, A. Urtti and S. Auriola (Kuopio, Finland) (Received 4 October 1996) 85

Interaction between tryptophan residues and hydrophobically modified dextran. Effect on partitioning of peptides and proteins in aqueous two-phase systems
by M. Lu and F. Tjerneld (Lund, Sweden) (Received 21 November 1996) 99

Studies of the hydrodynamic volume changes that occur during refolding of lysozyme using size-exclusion chromatography
by B. Batas, H.R. Jones and J.B. Chaudhuri (Bath, UK) (Received 11 October 1996) 109

(Continued overleaf)

Contents (continued)

Application of solid-phase extraction to the preconcentration of metallothionein and metals from physiological fluids
by A.K.M. Kabziński (Łodź, Poland) (Received 13 November 1996) 121

Analysis of kanamycin sulfate by liquid chromatography with pulsed electrochemical detection
by E. Adams, J. Dalle, E. De Bie, I. De Smedt, E. Roets and J. Hoogmartens (Leuven, Belgium) (Received 15 November 1996) 133

Gas Chromatography

Predictive strategies for determining retention indices of some allylic alcohols and their esters by gas chromatography
by G.I.C. Simpson and Y.A. Jackson (Kingston, Jamaica) (Received 15 October 1996) 141

Integration of the equation of peak motion in programmed-pressure and -temperature gas chromatography
by F.R. Gonzalez and A.M. Nardillo (La Plata, Argentina) (Received 30 October 1996) 147

Ultra-trace-level determination of the antifouling agent Irgarol 1051 by gas chromatography with tandem mass spectrometric detection
by R.J.C.A. Steen, P.E.G. Leonards, U.A.Th. Brinkman and W.P. Cofino (Amsterdam, Netherlands) (Received 15 November 1996) 153

Capillary gas chromatographic determination of vanadium in crude petroleum oil using fluorinated ketoamines as derivatizing reagents
by M.Y. Khuhawar and A.A. Memon (Sindh, Pakistan) and M.I. Bhanger (Jamshoro, Pakistan) (Received 28 October 1996) . . 159

Plama Chromatography

Relationship between structure and reversed-phase thin-layer chromatographic lipophilicity parameters in a group of piperazine derivatives
by P. Kastner (Králové, Czech Republic), M. Kuchař (Prague, Czech Republic), J. Klimeš (Králové, Czech Republic) and D. Dosedlová (Prague, Czech Republic) (Received 2 August 1996) 165

Electrophoresis

Simplified mathematical model of irreversible sample adsorption in capillary zone electrophoresis
by M.Yu. Zhukov, S.V. Ermakov and P.G. Righetti (Verona, Italy) (Received 18 November 1996) 171

Determination of diffusion coefficients and separation numbers in micellar electrokinetic chromatography
by P.G. Muijselaar, M.A. van Straten, H.A. Claessens and C.A. Cramers (Eindhoven, Netherlands) (Received 6 November 1996) 187

Determination of fermenting acids in silage by capillary electrophoresis
by W. Buchberger, C.W. Klampfl and F. Eibensteiner (Linz, Austria) and K. Buchgraber (Irdning, Austria) (Received 26 November 1996) 197

Conformational transformations of the fusion protein BR96 sFv-PE40 as monitored by micellar electrokinetic capillary chromatography and circular dichroism
by M. Kats, P.C. Richberg and D.E. Hughes (Syracuse, NY, USA) (Received 28 October 1996) 205

Optimization of capillary electrophoretic separation of quinolone antibacterials using the overlapping resolution mapping scheme
by S.-W. Sun and L.-Y. Chen (Taipei, Taiwan) (Received 28 October 1996) 215

Analysis of primisulfuron and triasulfuron in water and soil samples by micellar electrokinetic capillary chromatography
by K.V. Penmetsa, R.B. Leidy and D. Shea (Raleigh, NC, USA) (Received 29 October 1996) 225

Separation of polyelectrolytes of variable compositions by free-zone capillary electrophoresis
by J.Y. Gao and P.L. Dubin (Indianapolis, IN, USA) and T. Sato and Y. Morishima (Osaka, Japan) (Received 8 November 1996) 233

Effect of organic modifiers on retention and enantiomeric separations by capillary electrophoresis with human serum albumin as a chiral selector in solution
by A. Ahmed and D.K. Lloyd (Montreal, Canada) (Received 12 November 1996) 237

Optimization of the capillary electrophoresis separation of ranitidine and related compounds
by V.M. Morris, C. Hargreaves, K. Overall, P.J. Marriott and J.G. Hughes (Melbourne, Australia) (Received 25 October 1996) . 245

Contents (continued)

SHORT COMMUNICATIONS

Column Liquid Chromatography

Nuclear magnetic resonance monitoring of centrifugal partition chromatography in pH-zone-refining mode
by M. Spraul and U. Braumann (Rheinstetten, Germany) and J.-H. Renault, P. Thépenier and J.-M. Nuzillard (Reims, France) (Received 15 November 1996) 255

Determination of indole-3-acetic acid in the Gulf of Gdańsk by high-performance liquid chromatography of its 4-methyl-7-methoxycoumarin derivative
by H. Mazur (Gdynia, Poland) and A. Kosakowska and K. Pazdro (Sopot, Poland) (Received 6 November 1996) 261

Pipecolic acid methyl esters as artefacts from the ion-exchange chromatography of *Inga punctata* foliar extracts
by P.C. Stevenson, G.C. Kite and M.S.J. Simmonds (Surrey, UK) (Received 18 November 1996) 267

High-performance liquid chromatographic determination of atropine and atropine-like alkaloids in pharmaceutical preparations with indirect conductometric detection
by O.-W. Lau and C.-S. Mok (Shatin, Hong Kong) (Received 26 November 1996) 270

Direct determination of pyrethrins in pyrethrum extracts by reversed-phase high-performance liquid chromatography with diode-array detection
by I.-H. Wang, V. Subramanian, R. Moorman, J. Burleson and J. Ko (Dallas, TX, USA) (Received 8 November 1996) 277

Separation of samarium, gadolinium, terbium, gysprosium, erbium and ytterbium by high-speed countercurrent chromatography with organophosphate ester
by Z. Ma, L. Zhang and S. Han (Hangzhou, China) (Received 24 October 1996) 282

Gas Chromatography

Capillary gas–liquid chromatography of acetate–methyl esters of bile acids
by A.K. Batta and G. Salen (Newark, NJ, USA and East Orange, NJ, USA), M. Batta (East Orange, NJ, USA) and D. Earnest and D. Alberts (Tucson, AZ, USA) (Received 26 November 1996) 286

AUTHOR INDEX VOL. 766 293

The table of contents of *Journal of Chromatography* is included in ESTOC – Elsevier Science Tables of Contents service – which can be accessed on the World Wide Web at the following URL addresses:
http://www.elsevier.nl/locate/estoc or http://www.elsevier.com/locate/estoc